SECTION F

INDEX TO VOLUME 24

Authors

Adams, G. A.—
Production and properties of 2,3-butanediol.
VII. Fermentation of wheat by *Aerobacillus polymyxa* under aerobic and anaerobic conditions, 1.
See also Fratkin, S. B. and Shewfelt, A. L.

Adams, G.A. and Leslie, J.D.—
Production and properties of 2,3-butanediol.
VIII. pH control in *Aerobacillus polymyxa* fermentations and its effects on products and their recovery, 12.
X. The effects of surface-volume ratio and reduced pressure on the fermentation of carbohydrates by *Aerobacillus polymyxa* and *Aerobacter aerogenes*, 107.

Barss, W. M.—Two accessories for the electron microscope laboratory—(A) Specimen stage (B) Plate reader, 402.

Bayley, C. H., Rose, G. R. F., and Weatherburn, A. S.—
The application of dust-laying oil to cotton, 348.
The application of dust-laying oil to wool, 224.

Bayley, C. H. and Weatherburn, M. W.—The effect of weathering on cotton fabric containing certain copper rotproofers, 193.

Brooks, J.—See Pearce, J. A.

Bryce, W. A.—
Dried milk powder.
V. The photolysis of riboflavin in milk powders, 123.
See also Pearce, J. A.

Bryce, W. A. and Pearce, J. A.—Dried milk powder. IV. The effect of storage temperature, moisture content, and plant source on the keeping quality of milk powders of different fat levels, 61.

Burstow, R. C.—See Nodwell, R. A.

Burt-Gerrans, J. T.—A compact carbon pile rheostat, 91.

Campbell, R., Hiltz, M. C., and Robinson, A. D.—The thiamin content of meat, 140.

Carman, P. D.—Dimensional changes in safety topographic aero film under service conditions, 509.

Castagne, A.—See Leslie, J. D.

Chapman, R. A. and McFarlane, W. D.—The effect of wheat germ oil antioxidants and natural reducing substances on the stability of whole milk powder, 47.

Chase, F. E. and Wright, M. L.—The occurrence and distribution of *Salmonella* types in fowl. I. Isolation from hens' eggs, 77.

Clendenning, K. A.—Production and properties of 2,3-butanediol. XI. Evaluation of *levo*-2,3-butanediol as a non-volatile antifreeze compound, 249.

Clendenning, K. A. and Wright, D. E.—Production and properties of 2,3-butanediol. XII. Antifreeze properties of ternary aqueous solutions containing *levo*-2,3-butanediol as a major component, 287.

Conner, J. W.—The bacterial flora of low-acid vegetables canned at 212° F. II. A preliminary study of the effects of extracts from processed tomato juice and from tomato plants on bacteria involved in food preservation, 467.

Cook, W. H.—See Hopkins, J. W. and Pearce, J. A.

Crampton, E. W. and Mills, M. F.—Further study of the usefulness of different types of shortening when incorporated in biscuits at various levels and with different baking temperatures, 157.

Field, R. H.—
A clinometer for measuring small angles, 396.
A dividing head for laboratory use, 237.
An air-base stereoscope, 232.

Fratkin, S. B. and Adams, G. A.—Production and properties of 2,3-butanediol. IX. The effect of various nutrient materials on the fermentation of starch by *Aerobacillus polymyxa*, 29.

Fulton, C. O.—See Gibbons, N. E.

Gibbons, N. E., Fulton, C. O., and Reid, M.—Dried whole egg powder. XXI. Pasteurization of liquid egg and its effect on quality of the powder, 327.

Grace, N. H.—See Tomkins, R. V.

Grace, N. H. and Palmer, J. B.—Oil concentration by the froth flotation of pebble-milled seed, 338.

Graham, R. P. and Seagers, W. J.—The dyeing of natural cotton with direct dyes: some effects due to temperature, dye concentration, and anionic surface-active agents, 474.

Grant, G. A. and Lips, H. J.—A study of methods for assessing rancidity in lard, 450.

Grant, G. A. and White, W. H.—A fluorescence method for assessing the keeping quality of butter, 461.

Hay, R. L. and Pearce, J. A.—
Dried whole egg powder.
XIX. Accelerated storage tests to assess the effect of heat treatment, moisture content, and materials on the quality of dried sugar–egg mixtures, 168.
XXIII. The effect of moisture content and method of packing on the storage life of dried sugar–egg mixtures, 430.

Hiltz, M. C.—See Campbell, R.

Hopkins, J. W.—Precision of assessment of palatability of foodstuffs by laboratory panels, 203.

Hopkins, J. W., Steeves, T. A., and Cook, W. H.—Reduction of spatial temperature variations in air-cooled storage rooms. II., 380.

Illman, W. I.—See Lavers, C. G.

Larose, P.—The thermal insulation of a double pile fabric and its variation with thickness, 360.

Lavers, C. G. and Illman, W. I.—Packaging. III. Effect of mould growth and ageing on the water-vapour transmission of packaging materials, 117.

Lavers, C. G. and Pearce, J. A.
Liquid and frozen egg. II. Methods of determining solids content of liquid and frozen egg, 183.
Packaging. IV. Methods of applying water-vapour barriers, and the water-vapour resistance of some packaging materials, 409.

Leslie, J. D.—See Adams, G. A. and Tollefson, E. L.

Leslie, J. D. and Castagne, A.—Production and properties of 2,3-butanediol. XIV. Butanediol analyses for process control, 311.

Levitin, N.—See Watson, R. W.

Linton, E. P. and Wood, A. L.—The cross-ventilated tunnel smokehouse, 81.

Lips, H. J.—See Grant, G. A.

McFarlane, W. D.—See Chapman, R. A.

Metcalfe, B.—See Pearce, J. A.

Mills, M. F.—See Crampton, E. W.

Nodwell, R. A. and Burstow, R. C.—
An accurate mount for tri-metrogon photography, 501.
A survey camera to fit a Berger transit, 191.

Palmer, J. B.—See Grace, N. H.

Pearce, J. A.—
The preparation of hexachloroethane in the liquid phase by chlorination of tetra- and pentachloroethane, 369.
See also Bryce, W. A., Hay, R. L., and Lavers, C. G.

Pearce, J. A., Brooks, J., and Tessier, H.—Dried whole egg powder. XXII. Some factors affecting the production and initial quality of dried sugar-and-egg mixtures, 420.

Pearce, J. A. and Bryce, W. A.—Dried milk powder. VI. The effect of gas- and vacuum-packing on keeping quality, 445.

Pearce, J. A. and Reid, M.—Liquid and frozen egg. III. Some factors affecting the quality of stored frozen egg, 437.

Pearce, J. A., Reid, M., and Cook, W. H.—Dried whole egg powder. XVIII. The keeping quality of acidulated, gas-packed powders of low moisture content, 39.

Pearce, J. A., Reid, M., Metcalfe, B., and Tessier, H.—Dried whole egg powder. XX. The effect of grade of eggs, locality and month of production, and climatic conditions on the solids content of liquid egg and on the quality of the powder produced, 215.

Pearce, J. A., Whittaker, J., Tessier, H., and Bryce, W. A.—The keeping quality of dehydrated mixtures of egg and milk, 70.

Reid, M.—
Liquid and frozen egg. I. Application of a fluorescence measurement to liquid and frozen egg, 130.
See also Gibbons, N. E. and Pearce, J. A.

Robinson, A. D.—See Campbell, R.

Rose, D.—Production and properties of 2,3-butanediol. XV. The occurrence of acetone as a product of the *Aerobacillus polymyxa* fermentation, 320.

Rose, G. R. F.—See Bayley, C. H.

Samaras, D. G.—The problem of heat addition in ducts, 272.

Seagers, W. J.—See Graham, R. P.

Shewfelt, A. L. and Adams, G. A.—Separation of starch and gluten. IV. Application of a rapid process to flours from various grades and types of wheat, 136.

Smith, D. S.—Recent design of a small telephone magneto, 406.

Steeves, T. A.—See Hopkins, J. W.

Tessier, H.—See Pearce, J. A.

Tollefson, E. L., Wheat, J. A., and Leslie, J. D.—Production and properties of 2,3-butanediol. XIII. Purification of by-product ethanol, 300.

Tomkins, R. V. and Grace, N. H.—
Resin-rubber from Canadian grown plants.
V. Methods of extraction from pod hulls of the common milkweed, 146.
VI. Pebble-milling milkweed leaves in closed circuit, 494.

Watson, R. W. and Levitin, N.—Resin-rubber from Canadian grown plants. IV. Analytical study of milkweed pod gum, 95.

Weatherburn, A. S.—See Bayley, C. H.

Weatherburn, M. W.—See Bayley, C. H.

West, G. O.—Notes on the testing of sextants, 243.

Wheat, J. A.—See Tollefson, E. L.

White, W. H.—See Grant, G. A.

Whittaker, J.—See Pearce, J. A.

Wood, A. L.—See Linton, E. P.

Wright, D. E.—See Clendenning, K. A.

Wright, M. L.—See Chase, F. E.

SECTION F

INDEX TO VOLUME 24

Subjects

Acetone, Occurrence of, as a product of the Aerobacillus polymyxa fermentation of dextrose, 320.

Aerobacillus polymyxa fermentation
in dextrose medium, Occurrence of acetone as a product of, 320.
of wheat
Butanediol analyses for process control, 311.
Effects of surface-volume ratio and reduced pressure on, 107.
pH control in, and its effect on products and their recovery, 12.
Purification of by-product ethanol, 300.
starch, Effect of various nutrient materials on, 29.
under aerobic and anaerobic conditions, 1.

Aerobacter aerogenes fermentation
of carbohydrates, Effects of surface-volume ratio and reduced pressure on, 107.
of glucose under aerobic and anaerobic conditions, 10.

Aero film, Safety topographic, Dimensional changes in, under service conditions, 509.

Ageing, Effect of, on water vapour transmission of packaging materials, 117.

Air
-cooled storage rooms, Reduction of spatial temperature variations in, 380.
Effect of packing egg powder in atmosphere of, 44.
flow in cross-ventilated tunnel smokehouse, 86.

Air-base stereoscope, 232.

Angles, Small, A clinometer for measuring, 396

Anionic surface-active agents, Effect of, on dyeing of natural cotton with direct dyes, 474.

Antifreeze
compound, Non-volatile, Evaluation of *levo*-2,3-butanediol as an, 249.
properties of ternary aqueous solutions containing *levo*-2,3-butanediol as a major component, 287.

Antioxidants, Wheat germ oil, and natural reducing substances, Effect of, on stability of whole milk powder, 47.

Bacteria in egg powder, Effect of pasteurization of liquid egg on, 327.

Bacterial flora of low-acid vegetables canned at 212° C. II. A preliminary study of the effects of extracts from processed tomato juice and from tomato plants on bacteria involved in food preservation, 467.

Baking temperatures, Usefulness of different types of shortening when incorporated in biscuits at various levels and, with different, 157.

Barriers, Water-vapour, See under Packaging.

Berger transit, A survey camera to fit a, 191.

Biscuits, See under Baking.

Blankets, Woollen, Application of dust-laying oil to, 224.

2,3-Butanediol, Production and properties of,
VII. Fermentation of wheat by Aerobacillus polymyxa under aerobic and anaerobic conditions, 1.
VIII. pH control in Aerobacillus polymyxa fermentations and its effects on products and their recovery, 12.
IX. The effect of various nutrient materials on the fermentation of starch by Aerobacillus polymyxa, 29.
X. The effects of surface-volume ratio and reduced pressure on the fermentation of carbohydrates by Aerobacillus polymyxa and Aerobacter aerogenes, 107.
XI. Evaluation of *levo*-2,3-butanediol as a non-volatile antifreeze compound, 249.
XII. Antifreeze properties of ternary aqueous solutions containing *levo*-2,3-butanediol as a major component, 287.
XIII. Purification of by-product ethanol, 300.
XIV. Butanediol analysis for process control, 311.
XV. The occurrence of acetone as a product of the Aerobacillus polymyxa fermentation, 320.

Butter, A fluorescence method for assessing the keeping quality of, 461.

Camera, A Survey, to fit a Berger transit, 191.

Canadian grown plants, Resin-rubber from, 95, 146, 494.

Canning, See Bacterial flora.

Carbohydrates, See under Aerobacillus polymyxa fermentation, Aerobacter aerogenes fermentation, Starch, Wheat.

Carbon dioxide, Effect of packing egg powder in an atmosphere of, 44.

Carbon pile rheostat, A compact, 91.

Chlorination of tetra- and pentachloroethane, Preparation of hexachloroethane by, in liquid phase, 369.

Climatic conditions, Effect of, on solids content of liquid egg and on quality of powder produced, 215.

Clinometer for measuring small angles, 396.

Concentration, Oil, by the froth flotation of pebble-milled seed, 338.

Copper rotproofers, Effect of weathering on cotton fabric containing certain, 193.

Cotton
Application of dust-laying oil to, 348.
fabric, containing certain copper rotproofers, Effect of weathering on, 193.
Natural, Dyeing of, with direct dyes, 474.
See Fabric.

Cross-ventilated tunnel smokehouse, 81.

Curing of fish, Cross-ventilated tunnel smokehouse for, 81.

Dehydrated egg and milk mixtures, Keeping quality of, 70.
See also Egg powder, Egg(s).

Dextrose, Aerobacillus polymyxa fermentation of, Occurrence of acetone as a product of, 320.

Dimensional changes in safety topographic aero film under service conditions, 509.

Direct dyes, See under Dyeing.

Dividing-head for laboratory use, 237.

Dried milk powder, See Milk powder, Dried.

Dried sugar–egg mixtures, See under Egg powder.

Dried whole egg powder, See Egg Powder, Dried whole.

[illegible] Heat addition in, Problem of, 272.

[illegible]**t-laying oil,** Application of,
to cotton, 348.
to wool, 224.

[illegible] of natural cotton with direct dyes: some effects due to temperature, dye concentration, and anionic surface-active agents, 474.

Egg powder, Dried whole,
XVIII. The keeping quality of acetylated, gas-packed powders of low moisture content, 39.
XIX. Accelerated storage tests to assess the effect of heat treatment, moisture content, and materials on quality of dried sugar–egg mixtures, 168.
XX. The effect of grade of eggs, locality and month of production, and climatic conditions on the solids content of liquid egg and on the quality of the powder produced, 215.
XXI. Pasteurization of liquid egg and its effect on quality of the powder, 327.
XXII. Some factors affecting the production and initial quality of dried sugar-and-egg mixtures, 420.
XXIII. The effect of moisture content and method of packing on the storage life of dried sugar–egg mixtures, 430.
See also Packaging.

Egg(s)
and milk mixtures, Dehydrated, Keeping quality of, 70.
Hen's, Isolation of Salmonella types from, 77.
Liquid and frozen,
I. Application of a fluorescence method to liquid and frozen egg, 130.
II. Methods of determining solids content of liquid and frozen egg, 183.
III. Some factors affecting the quality of stored frozen egg, 437.
–sugar mixtures, See under Egg powder.

Electron diffraction specimen stage, A new, 402.

Electron microscope laboratory, Two accessories for,
Plate reader, 404.
Specimen stage, 402.

Ethane, Hexachloro-, Preparation of, in liquid phase, by chlorination of tetra- and hexachloroethane, 369.

Ethanol, By-product, in Aerobacillus polymyxa fermentation of whole wheat mashes, Purification of, 300.

Ethylene glycol, as antifreeze compound, Comparison with glycerol and *levo*-2,3-butanediol, 249.

Extraction of resin-rubber from milkweed, 95, 146, 494.

Fabric
Double pile, Thermal insulation of, and its variation with thickness, 360.
See Cotton, Wool.

Fa ls, Effect of storage temperature, moisture content, and plant source on keeping quality of milk powders of different, 61.

Fermentation, See under 2,3-Butanediol.

Fillets, Smoked, Cross-ventilated tunnel smokehouse for production of, 81.

Film, Safety topographic aero, Dimensional changes in, under service conditions, 509.

Fish
Cross-ventilated tunnel smokehouse for curing, 81.
Experimental smoking of, 88.

Flavour, See Palatability.

Flotation, Froth, of pebble-milled seed, Oil concentration by, 338.

Flour, See under Starch and gluten.

Fluorescence
measurement, Application of, to liquid and frozen egg, 130.
method for assessing keeping quality of butter, 461.

Food
preservation, Bacteria involved in, Effects of extracts from processed tomato juice and from tomato plants on, 467.
See also Egg powder, Egg(s), Foodstuffs, Fowl, Lard, Milk powder, Shortening, Storage, Vitamins.

Foodstuffs, Precision of assessment of palatability of, by laboratory panels, 203.

Fowl, Occurrence and distribution of Salmonella types in, 77.

Froth flotation, See Flotation, Froth.

Frozen egg, See Egg, liquid and frozen.

Gas-packing, See under Egg powder, Milk powder.

Glucose, Fermentation of, by Aerobacter aerogenes, under aerobic and anaerobic conditions, 10.

Gluten, See Starch and gluten.

Glycerol as an antifreeze compound, Comparison of, with ethylene glycol and *levo*-2,3-butanediol, 249.

Gum, Milkweed pod,
Analytical study of, 95.
Composition of, 104.

Heat
addition in ducts, Problem of, 272.
treatment, Accelerated storage tests to assess effect of, on quality of dried sugar–egg mixtures, 168.

Hen's eggs, Isolation of Salmonella types from, 77.

Hexachloroethane, Preparation of, in liquid phase, by chlorination of tetra- and pentachloroethane, 369.

Hydrogen ion concentration in Aerobacillus polymyxa fermentation of wheat-mashes, and its effect on products and their recovery, 12.

Insulation, Thermal, of a double pile fabric and its variation with thickness, 360.

Keeping quality
of acidulated, gas-packed dried whole egg powders of low moisture content, 39.
of butter, A fluorescence method for assessing, 461.
of dehydrated mixtures of egg and milk, 70.
of dried milk powder, Effect of gas- and vacuum-packing on, 445.
of milk powders of different fat levels, Effect of storage temperature, moisture content, and plant source on, 61.
See also Stability, and under Egg powder, and Egg(s).

Lard, A study of methods for assessing rancidity in, 450.

Liquid and frozen egg, See under Egg powder, and Egg(s).

Magneto, Telephone, Small, Recent design of, 406.

Meat, Thiamin content of, 140.

Metrology, See Air-base stereoscope, Dividing head, Sextants, Clinometer.

Milk and egg mixtures, Dehydrated, Keeping quality of, 70.

Milk powder
Dried,
IV. The effect of storage temperature, moisture content, and plant source on the keeping quality of milk powders of different fat levels, 61.
V. The photolysis of riboflavin in milk powders, 123.
VI. The effect of gas- and vacuum-packing on keeping quality, 445.
Whole, Effect of wheat germ oil antioxidants and natural reducing substances on the stability of, 47.

Milkweed
seed, Pebble-milled, Oil concentration by the froth flotation of, 338.
See also Resin-rubber from Canadian grown plants.

Milling, Pebble, Oil concentration by the froth flotation of pebble-milled seed, 338.

Moisture
content, See under Egg powder, and Milk powder.
resistance and transmission, See under Packaging.

Mould growth, Effect of, on water-vapour transmission of packaging materials, 117.

Mount, An accurate, for tri-metrogon photography, 501.

Multiple diffraction specimen stage for the electron microscope, 402.

Mustard screenings, Pebble-milled, Oil concentration by the froth flotation of, 338.

Nitrogen, Effect of packing egg powder in atmosphere of, 44.

Oil
concentration by the froth flotation of pebble-milled seed, 338.
Dust-laying, Application of,
to cotton, 348.
to wool, 224.
Wheat germ oil antioxidants, Effect of, on stability of whole milk powder, 47.

Packaging
III. Effect of mould growth and ageing on the water-vapour transmission of packaging materials, 117.
IV. Methods of applying water-vapour barriers, and the water-vapour resistance of some packaging materials, 409.
See under Egg powder, Egg(s), Keeping quality, Palatability.

Palatability
of dehydrated egg and milk mixtures, Changes in, during storage, 70.
of egg powder, Effect of gas-packing on, 39.
of foodstuffs, Precision of assessment of, by laboratory panels, 203.
See also Keeping quality.

Panels, Laboratory, Precision of assessment of palatability of foodstuffs by, 203.

Pasteurization of liquid egg and its effect on quality of the powder, 327.

Pebble-milling
milkweed leaves in closed circuit, 494.
Oil concentration by the froth flotation of pebble-milled seed, 338.

Pentachloroethane, Preparation of hexachloroethane in liquid phase by chlorination of tetra- and, 369.

Photography
A survey camera to fit a Berger transit, 191.
Dimensional changes in safety topographic aero film under service conditions, 509.
Tri-metrogon, An accurate mount for, 501.

Photolysis of riboflavin in milk powders, 123.

Plants
Canadian grown, Resin-rubber from, 95, 146, 494.
Tomato, Effects of extracts from, on bacteria involved in food preservation, 467.

Plate reader for measuring electron diffraction patterns, 402.

Precision of assessment of palatability of foodstuffs by laboratory panels, 203.

Preservation of food, See under Food.

Pressure, Reduced, Effect of, on fermentation of carbohydrates by Aerobacillus polymyxa and Aerobacter aerogenes, 107.

Process control, See 2,3-Butanediol, Production and properties of.

Projector for electron diffraction patterns, 404.

Rancidity in lard, A study of methods for assessing, 450.

Reducing substances, Natural, and wheat germ oil antioxidants, Effect of, on stability of whole milk powder, 47.

Relative humidity control in cross-ventilated tunnel smokehouse, 85.

Resin-rubber from Canadian grown plants.
IV. Analytical study of milkweed pod gum, 95.
V. Methods of extraction from pod hulls of the common milkweed, 146.
VI. Pebble-milling milkweed leaves in closed circuit, 494.

Resistance, Water-vapour, See under Packaging.

Rheostat, Carbon pile, A compact, 91.

Riboflavin in milk powders, Photolysis of, 123.

Rooms, Air-cooled storage, Reduction of spatial temperature variations in, 380.

Rotproofers, Copper, Effect of weathering on cotton fabric containing certain, 193.

Rubber-resin, See Resin-rubber from Canadian grown plants.

Safety topographic aero film, Dimensional changes in, under service conditions, 509.

Salmonella
in egg powder, Effect of pasteurization of liquid egg on, 327.
types in fowl, Occurrence and distribution of, 77.

Seed, Pebble-milled, Oil concentration by the froth flotation of, 338.

Sextants, Notes on testing of, 243.

Shortening, See under Baking.

Smoke density meter for cross-ventilated tunnel smokehouse, 84.

Smokehouse, Tunnel, Cross-ventilated, 81.

Smoke producers, for cross-ventilated tunnel smokehouse, 84.

Solids content, See under Egg powder, and Liquid and frozen egg.

Spatial temperature variations in air-cooled storage rooms, Reduction of, 380.

Specimen stage, A new electron diffraction, 402.

Stability
of whole milk powder, Effect of wheat germ oil antioxidants and natural reducing substances on, 47.
See also Keeping quality, Rancidity.

Staphylococci in egg powder, Effect of pasteurization of liquid egg on, 327.

Starch
and gluten, Separation of,
IV. Application of a rapid process to flours from various grades and types of wheat, 136.
Fermentation of, by Aerobacillus polymyxa, Effect of various nutrient materials on, 29.

Stereoscope, Air-base, 232.

Storage
rooms, Reduction of spatial temperature variations in, 380.
temperature, Effect of, on keeping quality of milk powders of different fat levels, 61.
tests, Accelerated, to assess effect of heat treatment, moisture content, and materials on quality of dried sugar–egg mixtures, 168.
See under Egg powder.

Sugar–egg mixtures, Dried, See under Egg powder.

Surface-active agents, Anionic, See under Dyeing.

Surface-volume ratio, Effect on fermentation of carbohydrates by Aerobacillus polymyxa and Aerobacter aerogenes, 107.

Survey camera to fit a Berger transit, 191.

Telephone magneto, Small, Recent design of, 406.

Temperature
control in cross-ventilated tunnel smokehouse, 85.
Effect of, on dyeing of natural cotton with direct dyes, 474.
Storage, Effect of, on keeping quality of milk powders of different fat levels, 61.
variations, Spatial, in air-cooled storage rooms, Reduction of, 380.
See under Baking.

Ternary solutions, Aqueous, containing *levo*-2,3-butanediol as a major component, Antifreeze properties of, 287.

Testing of sextants, Notes on, 243.

Tetrachloroethane and pentachloroethane, Preparation of hexachloroethane in the liquid phase by chlorination of, 369.

Textiles
Application of dust-laying oil to
cotton, 348.
wool, 224.

Textiles—*Concluded*
Effect of weathering on cotton fabric containing certain rotproofers, 193.
Thermal insulation of a double pile fabric and its variation with thickness, 360.

Thermal insulation of a double pile fabric and its variation with thickness, 360.

Thiamin content of meat, 140.

Tomato juice, Processed, and tomato plants, Effects of extracts from, on bacteria involved in food preservation, 467.

Topographic aero film, Safety, Dimensional changes in, under service conditions, 509.

Transit, Berger, A survey camera to fit a, 191.

Transmission, Water-vapour, See under Packaging.

Tri-metrogon photography, An accurate mount for, 501.

Vacuum-packing, See under Milk powder.

Vegetables, Low-acid, canned at 212° C. See under Bacterial flora.

Ventilation, See Cross-ventilated tunnel smokehouse, Air-cooled storage rooms.

Vitamin(s)
contents of fermented wheat mashes, 26.
See Riboflavin, Thiamin.

Water, See Moisture.

Water-vapour barriers, resistance, transmission, See under Packaging.

Weathering, Effect of, on cotton fabric containing certain copper rotproofers, 193.

Wheat
Fermentation of, by Aerobacillus polymyxa under aerobic and anaerobic conditions, 1.
Flours from various grades and types of, Rapid process for separation of starch and gluten in, 136.
germ oil antioxidants and natural reducing substances, Effect of, on stability of whole milk powder, 47.
starch, Fermentation of, by Aerobacillus polymyxa, Effect of nutrient materials on, 29.
See also under 2,3-Butanediol.

Whole egg powder, See Egg powder, Dried whole.

Wool
Application of dust-laying oil to, 224.
See Fabric.